

## Town of St. Johnsbury Vermont INSPECTION / CODE COMPLIANCE DIVISION

Office of the Town Manager 51 Depot Square, St. Johnsbury, Vermont 05819 (802) 748-3926

## **COMPLAINT FORM**

Return this complete and signed complaint form to the Town of St. Johnsbury Fire Dept. or Town Zoning Dept.

COMPLAINANT INFOR	MATION					
Person Filing Complaint:	Signature:					
Complaintive Address:				Phone:		
City and State:				E- Mail:		
Relationship with the Property:						
Patron Owner Tenant Fire Department Town Official Other						
BUILDING LOCATION & OWNER						
Building Name	e:		Building Curre	ent Use:		
Owner's Name & Phone:						
Building Managers Name	e:					
Addres	s:					
City	y:			Phone:		
COMPLAINT INFORMATION						
CHIMNEY / VENTS – Bi	oken or Defective	EXITS – Blocked / Lackin Missing Compor		FIRE EXTINGUSHER– Missing or Defective		
ELECTRICAL HAZARD –  (Extension cords in use)		ELECTRICAL – Sparking or Arcing		ELECTRICAL – Broken or missing components, No GFI outlets		
SMOKE / CO DETECTOR (S) Defective		HEATING EQUIP. – Defective		WINDOWS – Inoperable or to Small		
STRUCTURAL - Roof		STRUCTURAL – Floor / Ceiling		STRUCTURAL – Foundation, Columns, Beams		
ADA ISSUE (List Below)		FUEL SUPPLY – Leaking or Defective		☐ FIRE HAZARD		
TOWN ORDINANCE ISSUE		OTHER ISSUE:				
COMPLAINT DETAILS: (Pl	ease Print Clearly)					
FRIVOLOUS COMPLAINT POLICY: A frivolous complaint shall be one for which there is no good faith basis for the complaint outlined in the Town Ordinances, and this is known to the complainant at the time. Frivolous complaints shall be in violation of the Town of St. Johnsbury Ordinance Sec. 6.112(f).  Official Use Only						
Received By: Assigned To:						
Received by.		As	oigiicu 10.			
Referred To: Fire Department Inspector Local Heath Inspector Health Department State DVF Other:						
Date:	FOUNDED	UNFOUNDED Inspe	ctors Signature:			

Comments:	
Site Status:	
Pictures: Y / N	
Last Site Visit:	
Reason for Previous Site Visit:	
Nedson for Frevious Site visit.	
Referred To:	
Officer Signature:	Date: